



**NOTICE TO CONTRACTORS**  
**HIGHWAY CONSTRUCTION**

**April 12, 2010**

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

**Bonds submitted on other than the bond form provided by the department may be subject to rejection.**

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his /her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

**FEE**

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**

*(Remittance may be made to the Washington State Treasurer and sent to the address below).*

**TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.**

***Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:***

**<http://www.wsdot.wa.gov/biz/contaa>**

**ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.**

## Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Dave Mariman 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

## **BID OPENING WEDNESDAY, APRIL 21, 2010**

- \*1. (KING) **BR 90/50N & SR 520/I-405 VICINITY SEISMIC RETROFIT** (CL 6, \$4,000,000 - \$5,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 5%.** A State Project on SR 520, MP 6.90 to MP 8.83 and I-90 at MP 9.88. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Steel column jacket installation, girder stop, cross-beam bolster and infill wall construction, girder splicing, erosion control, traffic control and other work. 310 Working days. Involves 68 items. 980 SY stabilized concrete entrance, 1625 LF temp concrete barrier, 1700 LF plastic line. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Shoring or extra excav CL A, seismic retrofit, column jacketing, illum sys, temp traffic control, pedestrian control and protect, health & safety plan, SPCC plan. **SEISMIC RETROFIT INCLUDES:** 123344 LBS steel rebar, 684 CY concrete CL 4000, 92 EA transverse girder stop pads, 4514 LF drill holes, 16 EA contracting agency provided elastomeric bearing pads, 1600 SF perm steel sheet pile shoring, 1281 CY struct excav CL A incl haul, 1120 CY controlled density fill, 4386 SF expanded polystyrene, 56 CY selective demolition, 1 EA struct lift sys, 76 LF remove & replace precast traffic barrier, 55 LF perm traffic barrier removal, 80 LF remove & replace cement concrete traffic curb & gutter, 140 SY remove & replace cement concrete sidewalk, 180 SY remove concrete slope protect, 80 LF remove & replace catch basin, 40 LF remove and replace chain link fence. **COLUMN JACKETING INCLUDES:** 416 LF remove & replace underdrain, 917 CY struct excav CL A incl haul, 491 CY backfill, 1580 SF rock wall remove & replace, 163989 LBS struct steel, 74 CY grout, 250 LF remove & replace cement concrete sidewalk, 120 LF remove & replace cement concrete traffic curb & gutter, 280 LF remove, store, replace metal railing, 448 LF remove & reset precast traffic barrier, 120 SY remove & replace cement concrete sidewalk, 200 LF remove & reset beam guardrail, 150 SY remove & replace concrete slope protect, 9 CY select demolition, 20 SY remove & replace slope protect, 280 SF remove & replace exist portion of existing concrete, 300 LF remove & reset cable hand rail, 240 LF remove & replace chain link fence.(XL-3366)(109051S)(10A004)(7925)(4 of 4)(1)
- \*2. (YAKIMA, BENTON, WALLA WALLA) **2010 REGION WIDE CHIP SEAL** (CL 3, \$2,000,000 - \$2,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8%.** F.A. No. STPF-9999(579) on US 12 ET AL. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Bituminous surface treatment, asphalt for fog seal, HMA for preleveling, flexible guide posts, plastic pavement markings, centerline rumble strips, traffic control and other work. 55 Working days. Involves 37 items. 1738 T asphalt emulsion CRS-2P, 8440 T furnish and place crushed screen, 2314 T HMA CL 3/8 IN PG 64-28, 2331 EA flex guide post, 24950 LF centerline rumble strip, 245668 LF temp pvt marking, 1952 SF const signs CL A. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-3743)(501205Q)(10Y002)(7933)(3 of 3)

## **BID OPENING WEDNESDAY, APRIL 28, 2010**

- \*1. (SNOHOMISH) **LUNDEEN PARKWAY TO SR 92 INTERSECTION IMPROVEMENTS AND WIDENING** (CL 1 or 6, Under \$20,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 13%.** A State Project on SR 9, MP 16.12 to MP 17.67. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Grading, surfacing, paving with hot mix asphalt, structure excavation, shoring, embankment compaction, soldier pile walls, detention pond structure, drainage systems, pavement marking, landscaping, illumination, traffic signal systems, intelligent transportation system, permanent signing, guardrail, concrete traffic barrier, erosion control, traffic control and other work. 180 Working days. Involves 221 items. 79010 CY rdwy excav incl haul, 7280 CY unsuitable foundation excav incl haul, 55560 T gravel borrow incl haul, 18150 CY embank comp, 11900 CY pond embank comp, 1704 CY ditch excav incl haul, 391 T quarry spalls, 369 LF CL V reinf concrete culv pipe, 388 LF temp culv pipe, 63 EA catch basin, 6180 LF test storm

sewer pipe, 5737 LF sch A storm sewer pipe, 1520 CY struct excav CL A incl haul, 1124 CY gravel backfill, 5141 LF shaft, 7880 LF furnish soldier pile, 19032 LB st rebar, 253 CY conc CL 4000, 21113 SF precast conc panels, 147 EA perm ground anchor, 17050 T crushed surface base course, 19367 T HMA CL 1/2 IN PG 64-22, 8030 LF silt fence, 20409 LF compost sock, 1220 LF temp curb, 7 ACRE mulch, 507 CY topsoil, 4387 EA baldhip rose, 1889 EA beaked hazelnut, 2002 EA douglas fir, 2182 EA elderberry, 26434 EA salal, 5103 EA scoulers willow, 5110 EA snowberry, 2025 EA western red cedar, 3410 CY coarse compost, 3018 CY bark or wood chip mulch, 7730 LF high visibility fence, 4572 LF extruded curb, 2761 LF beam guardrail, 3305 LF precast conc barrier, 10425 LF temp conc barrier, 23935 LF paint line, 18130 LF profiled plastic line, 14 HUND raised pvmt marker, 144920 LF temp pvmt marking, 690 LF directional boring, 796 SF const signs CL A, 8735 CY struct excav CL B incl haul, 35803 SF shoring or extra excav CL B, 2400 T pipe zone backfill, 19 EA cement conc sidewalk ramp, 2762 LF chain link fence, 7770 LF wire fence, 10920 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Temp stream bypass, dispersion trenches, trench drain, shoring or extra excav CL A, perm ground anchor verification test, detention pond vault, stormwater vault mod, perm signing, illum sys, traffic data accumulation and ramp meter sys, temp traffic signal sys, traffic signal sys, CCTV, communication conduit sys, communication cables & interfaces, video, voice & data dist & trans sys, temp traffic control, cure box, struct survey, field office bldg, abandonment of piezometer, SPCC plan. (XL-3041)(100917G)(09A009)(7920)(5 of 6)

- \*2. (PIERCE) **TACOMA NARROWS BRIDGE – ELECTRICAL** (CL 16, \$2,000,000 - \$2,500,000) F.A. No. NH-0016(017) on SR 16, MP 7.28 to MP 8.41. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Installing a new 480V AC 3-phase electrical service, converting the electrical system and power distributions, 160V to 480V AC through the installation of new electrical system components, including conduit, brackets, junction boxes, installing new lighting contactors and replacement of portions of conduit and wiring, new navigation lights, with repairs to the paint system where electrical work is performed, traffic control and other work. 160 Working days. Involves 27 items. 21860 LF conduit pipe. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Clean& paint exist struct, Comcast utility work, electrical sys, lighting sys rehab, perm signing, temp traffic control, navigation lighting sys, fire alarm sys, phone sys, SPCC plan. (XL-1612)(301622E)(09C527)(7929)(3 of 4)
- \*3. (FRANKLIN & WALLA WALLA) **BURBANK VICINITY – PAVING** (CL 4, \$750,000 - \$1,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 7%.** F.A. No. STPF-0124(015) on US 12, MP 294.06 to MP 295.24 and SR 124, MP 0.36 to MP 1.10. Requires: Grading, surfacing, asphalt concrete pavement, beam guardrail, pavement marking, permanent signing, traffic control and other work. 25 Working days. Involves 43 items. 650 CY rdwy excav incl haul, 730 T crushed surface base course, 5 MI shoulder finish, 6220 SY plane bit pvmt, 8290 T HMA CL 1/2 IN PG 64-28, 601 LF beam guardrail, 1639 LF raise exist beam guardrail, 43910 LF paint line, 14130 LF temp pvmt marking, 288 SF const sign CL A. Lump Sum Bids for: Perm signing, temp traffic control, SPCC plan.(XL-3694)(501213G)(10Y004)(7931)(3 of 4)

### **BID OPENING WEDNESDAY, MAY 5, 2010**

- \*1. (KITSAP) **MANETTE BRIDGE 303/4A – BRIDGE REPLACEMENT** (CL 6, \$30,000,000 - \$45,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 7%.** F.A. No. BR-0303(005) in the City of Bremerton. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Removing an existing steel girder and steel truss bridge, construction a prestressed, post-tensioned concrete girder bridge, shafts, piers, abutments and superstructure, reconstructing an intersection and constructing a roundabout, in-water bridge construction & demolition, wall construction, grading, drainage, surfacing, paving with hot mix asphalt, illumination systems, pavement markings, roadside seeding and planting, permanent signing, traffic control and other work. 357 Working days. Involves 211 items. 1050 CY rdwy excav incl haul, 5960 T gravel borrow incl haul, 30 EA streambed boulder, 16 EA catch basin, 835 LF solid wall pvc storm sewer pipe, 1148 LF ductile iron sewer pipe, 175 LF PVC sanitary sewer pipe, 2117 LF ductile iron pipe, 4780 CY soil excav incl haul, 547 LF furnish perm casing, 12 EA place perm casing, 113 LF casing shoring, 2310600 LB epoxy-coated st rebar, 1889000 LB st rebar, 16700 LF CSL access tube, 5340 CY conc CL 4000, 5820 CY conc CL 4000P, 6070 LF prestressed conc girder, 32 EA high-load elastomeric bearing pad, 3200 LF bridge rail, 227 LF st walkway rail, 1600 LF traffic barrier, 1600 LF pedestrian barrier, 2241 SF struct earth wall, 290 SY bridge approach slab, 967 T HMA CL 1/2 IN PG 64-22, 622 SY stabilized const entrance, 1330 LF silt fence, 100 EA hebe, 22 EA flame grass, 300 EA Indian plum, 300 EA nootka rose, 150 EA evergreen huckleberry, 290 CY fine compost, 290 CY bark or wood chip mulch, 400 SY sod install, 623 LF cement conc traffic curb & gutter, 4020 LF paint line, 8 HUND raised pvmt marker, 69 LF furnish perm

casing, 11 EA install perm casing, 8924 LF conduit pipe, 1011 SF const signs CL A , 2519 CY struct excav CL B incl haul, 8760 SF shoring or extra excav CL B, 631 SY cement conc sidewalk, 472 SY viewscape cement conc sidewalk, 96 SY patterned & pigmented conc, 4600 HR training. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Infiltration gallery, shoring or extra excav CL A, barrier XBM wall & girder closure form test section, mod expansion jnt sys, irrigation sys, seeding, perm signing, illum sys, traffic signal sys, temp traffic control, pedestrian control & protect, cure box, struct survey, navigation lighting sys, clean exist drain struct, field office bldg, health & safety plan, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 711500 LB epoxy-coated st rebar, 38300 LB st rebar, 1990 CY conc CL 4000D, 1120 CY conc CL 4000, 293000 LB prestressed conc girder post-tensioning reinforcement, 52 EA transverse elastomeric girder stop pad, 1 EA valve box casting, 6 EA bridge deck drain assembly, 2520 LB insert for bridge deck drainage sys & bridge utility support.(0L-2829)(330311A)(09C526)(7926)(4 of 6)

- \*2. (KING & SNOHOMISH) **VARIABLE MESSAGE SIGNS – REPLACEMENT** (CL 41, \$750,000 - \$1,000,000) **CONTAINS VOUNTARY MWBE GOAL: 2%.A** State Project on I-5, MP 155.95 to MP 183.53. Requires: Inlet protection, silt fence, seeding, fertilizing, mulching, variable message sign, communication conduit system, communication cables & interfaces, video voice & data distribution & transmission system, directional boring, static sign vertical supports replacement, traffic control and other work. 45 Working days. Involves 23 items. 300 LF directional boring. Lump Sum Bids for: Variable message sign, communication conduit sys, communication cables & interfaces, video voice & data dist & transmission sys, static sign vertical supports replacement, temp traffic control, health & safety plan, SPCC plan.(XL-3645)(100521Q)(10A002)(7934)(2 of 4)
3. (KITSAP & JEFFERSON) **HOOD CANAL BRIDGE VICINITY – IMPROVEMENTS** (CL 41, \$400,000 - \$500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 3% F.A.** No. NH-0003(114) on SR 3, MP 52.60 to MP 60.02 & SR 104, MP 12.16 to MP 15.98. Requires: Placing illumination poles, installing CCTV cameras and equipment at ITS sites, constructing roadside maintenance pull-outs by excavating, placing common borrow and crushed surfacing, traffic control and other work. 39 Working days. Involves 28 items. 6 EA maintenance pull-out, 405 LF silt fence, 70 LF directional boring. Lump Sum Bids for: Seed, fert & mulch, ITS, contractor supplied materials, temp traffic control, SPCC plan. (XL-2807)(300370A)(09C533)(0000)(1 of 3)
4. (WHATCOM) **MARSHALL HILL RD CULVERT REPLACEMENT** (CL 20, \$400,000 - \$500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8% F.A.** No. ER-0902(236) on SR 542, MP 16.05 TO MP 16.09. Requires: Installing a box culvert, grading, surfacing, planing, paving with HMA, erosion control and planting, pavement marking, traffic control and other work. 12 Working days. Involves 46 items. 461 T streambed gravel, 295 T crushed surface base course, 147 SY plane bit pvmt, 312 T HMA CL ½ IN PG 64-22, 280 SY plastic cover, 310 SY seed, fert by hand, 67 EA snowberry, 67 EA thimbleberry, 32 EA sitka willow, 960 CY struct excav CL B incl haul, 1330 SF shoring or extra excav CL B, 310 CY gravel backfill, 460 SY const geotextile. Lump Sum Bids for: Temp stream diversion, precast conc split box culvert, temp traffic control, rdwy survey, SPCC plan.(XL-3656)(154216A)(10A018)(7941)(1 of 3)
5. **PRE BID MEETING**  
The Contracting Agency will hold one voluntary pre-bid meeting for proposal holders of this project. The meeting will take place Monday, April 19, 2010 at 1:00 pm, at the project site (SR 18 & Issaquah-Hobart Road). Proposal holders shall notify the Project Engineer of their intent to attend the meeting by phone or fax no later than two days in advance of the meeting to the following address:

Aleta Borschowa, P.E.  
6431 Corson Avenue South, Bldg. 1, MS NB82-60  
Seattle, WA 98108-3445  
Phone: (206) 768-5755  
FAX: (206) 759-5786

This meeting will include a discussion of general requirements followed by a trip through the project site. Attendees are advised to wear appropriate attire including a hard hat and reflective vest. The meeting and site visit are expected to last a total of 2 hours. Questions will be addressed as described in Section 1-02.4. Minutes to the meeting will be sent to all plan holders via addendum. All plan holders are encouraged to attend.

(KING) **ISSAQUAH-HOBART RD RETAINING WALL REPAIR** (CL 1 or 6, \$1,000,000 - \$1,250,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 14% F.A. No. ER-0902(242)** on SR 18, Vicinity MP 20.40. Requires: Removing an existing structural earth retaining wall, constructing a soldier pile wall, grading, HMA paving, guardrail, concrete barrier, stream restoration, erosion control, traffic control and other work. 72 Working days. Involves 74 items. 220 CY rdwy excav incl haul, 226 CY ditch excav incl haul, 200 CY streambed sediment, 400 CY struct excav CL A incl haul, 225 CY gravel backfill, 773 LF shaft, 755 LF furnish soldier pile, 1874 SF lagging, 1980 SF conc fascia panel, 145 LF soldier pile wall traffic barrier, 220 T HMA CL ½ IN PG 64-22, 465 SY compost blanket, 250 LF silt fence, 130 CY topsoil, 734 LF high visibility fence, 140 LF beam guardrail, 2 EA beam guardrail trans section, 48000 LF move QMB with TTV, 2700 LF temp pvmt marking, 130 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH** Lump Sum Bids for: Shoring or extra excav CL A, initial deliver and place QMB, temp traffic control, cure box, struct survey, rdwy survey, work access-streambed, temp stream diversion, SPCC plan.(XL-3452)(101818U)(10A013)(7940)(1 of 3)

**BID OPENING WEDNESDAY, MAY 12, 2010**

- \*1. (KITITAS) **KEECHELUS DAM TO CABIN CREEK WB – PAVING** (CL 4, \$2,000,000 - \$3,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 9%.** A State Project on I-90, MP 60.22 to MP 64.22. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Planing bituminous pavement, paving with hot mix asphalt, beam guardrail, pavement marking, rumble strips, permanent signing, traffic control and other work. 35 Working days. Involves 51 items. 8 MI shoulder finish, 1760 SY plane bit pvmt, 8950 T HMA CL 3/8 IN PG 64-28, 10740 T HMA CL 1/2 IN PG 64-28, 42084 LF jnt adhesive, 2629 LF weathering st beam guardrail, 11 EA beam guardrail non-flared term, 45370 LF paint line, 21040 LF grooved plastic line, 8 MI shoulder rumble strip, 42080 LF temp pvmt marking, 12 EA riser ring. Lump Sum Bids for: Perm signing, illum sys, temp traffic control, SPCC plan.(XL-3728)(509006D)(10Y003)(7935) (2 of 5)
2. (KITSAP) **UNNAMED TRIBUTARY AND BJORGEN CREEK FISH PASSAGE** (CL 1, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 4%.** F.A. No. NH-0305(016) on SR 305, MP 9.50 to MP 9.64 and MP 9.80 to MP 9.91. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Removing fish passage barriers at two locations, erosion control, constructing temporary stream diversions, excavating and compacting soils, installing pipes, placing streambed aggregate and habitat structures, traffic control and other work. 50 Working Days. Involves 28 items. 1805 T streambed sediment, 3202 T streambed cobbles, 3000 LF high visibility fence. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: St casing pipe, TESC plan, temp traffic control, pedestrian control & protect, SPCC plan. (XL-3058)(330514A)(09C522)(7944)(1 of 4)
3. (GRAYS HARBOR & THURSTON) **ELMA VIC TO OLD HIGHWAY 9 SW PAVING AND CENTERLINE RUMBLE STRIPS** (CL 4, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8% F.A. No. NH-0012(197)** on US 12, MP 21.56 to MP 44.62. Requires: Constructing pavement repair, placing HMA pavement, installing centerline rumble strips, pavement markings, induction loops, constructing ADA facilities, traffic control and other work. 41 Working days. Involves 50 items. 1607 SY pvmt repair excav incl haul, 10 MI shoulder finish, 36280 SY plane bit pvmt, 16012 T HMA CL ½ IN PG 64-22, 76 LF cement conc traffic curb, 205130 LF paint line, 2782 LF plastic wide line, 22 MI centerline rumble strip, 25 HUND recessed pvmt marker, 43000 LF temp pvmt marking, 4 EA induction loop, 137 LF detect warning surface, 34 EA adjust jct box. Lump Sum Bids for: Temp traffic control, pedestrian control and protection, SPCC plan. (XL-3528)(301267A)(09C536)(7939)(1 of 4)
4. (LEWIS) **PE ELL TO I-5 WITH EXCEPTIONS – PAVING WITH CHIP SEAL** (CL 4, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 14% F.A. No. STPF-0006(020)** on SR 6 MP 27.99 to MP 51.37. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Planing, placing HMA and BST, upgrading signs, upgrading sidewalk ramps to ADA standard, removing and replacing guardrail, pavement repair, traffic control and other work. 45 Working days. Involves 71 items. 3633 SY pvmt repair excav incl haul, 393 T asph emulsion CRS-2P, 2005 CY furnish and place crushed screen, 3624 CY plane bit pvmt, 1978 T HMA CL 3/8 IN PG 64-22, 10054 T HMA CL ½ IN PG 64-22, 23 EA inlet protect, 656 LF beam guardrail, 126 LF beam guardrail thrie beam, 4 EA beam guardrail trans section, 6 EA beam guardrail non-flare term, 1238 LF raise exist beam guardrail, 259700 LF paint line, 1416 SF plastic crosswalk line, 86838 LF temp pvmt marking, 296 SY cement conc sidewalk, 15 EA cement conc curb ramp. Lump Sum Bids for: Perm signing, signal sys mod, temp traffic control, pedestrian control & protect, SPCC plan.(XL-3400)(400610P)(10X306)(7942)(1 of 4)

## **BID OPENING WEDNESDAY, MAY 26, 2010**

1. (SNOHOMISH) **US 2 INTERCHANGE FLYOVER RAMP** (CL 1 or 6, \$20,000,000 - \$25,000,000)  
**CONTAINS A VOLUNTARY MWBE GOAL: 7% A State Project on SR 522, MP 24.20 to MP 24.68**  
**CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Constructing a flyover ramp, adding two lanes, grading, drainage, roadway excavation, paving with hot mix asphalt, storm sewer, retaining walls, guardrail, cast-in-place high performance single slope concrete barrier and other concrete traffic barrier, traffic signals, intelligent traffic system, illumination system, concrete sidewalks, pavement marking, sign bridge structure, planting, stream buffer mitigation, erosion control, traffic control and other work. 350 T Working days. Involves 245 items. 7880 Cy rdwy excav incl haul, 28497 CY pond excav incl haul, 203640 gravel borrow incl haul, 110105 CY embank compact, 2940 CY ditch excav incl haul, 37 EA grate inlet, 97 EA catch basin, 11945 LF test storm sewer pipe, 10695 LF sch A storm sewer pipe, 1373 LF ductile iron sewer pipe, 1125 CY soil excav incl haul, 131 LF furnish perm casing, 297210 LB st rebar, 938 CY conc CL 4000, 1075 CY conc CL 4000P, 1711 LF traffic barrier, 562 LF sew traffic barrier, 33609 struct earth wall, 24000 CY backfill incl haul, 15910 T crushed surface base course, 6452 SY plane bit pvmt, 19630 T HMA CL ½ IN PG 70-22, 42639 SY temp erosion control blanket, 25861 SY plastic cover, 2500 SY stabilize const entrance, 6973 LF silt fence, 7973 LF compost sock, 8046 CY topsoil, 1245 EA clustered wild rose, 1676 EA red elderberry, 1830 EA red osier dogwood, 2773 EA scoulers willow, 4495 EA snowberry, 2457 EA findling cotoneaster, 2348 EA emerald blue creeping phlox, 3037 CY soil amend, 2965 CY bark or wood chip mulch, 4713 LF high visibility fence, 3368 LF cement conc traffic curb and gutter, 1922 LF extruded curb, 1341 LF beam guardrail, 1860 LF precast conc barrier, 5670 LF single slope concrete barrier, 395 cast-in-place conc barrier, 2884 SF cement conc cap, 7976 LF temp conc barrier, 19285 LF paint line, 17765 LF plastic line, 4104 SF plastic crosswalk line, 1000 LF directional boring, 792 SF const signs CL A, 17990 CY struct excav CL B incl haul, 52794 SF shoring or extra excav CL B, 2217 SY cement conc sidewalk, 24 EA cement conc curb ramp, 3886 SF mod block wall, 7410 LF coated chain link fence, 1753 SY const geotextile. **CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCH & SCH UPDATE** Lump Sum Bids for: Precast conc split box culvert, shoring or extra excav CL A, struct low alloy st, temp dewatering sys, perm signing, sign bridge, temp illum sys, illum sys, traffic data accum and ramp meter sys, temp traffic signal sys, traffic signal sys, CCTV sys, communication conduit sys, communication cables and interfaces, video, voice & data distribution & trans sys, HAR sys, temp traffic control, pedestrian control and protect, struct survey, rdwy survey, clean exist drain struct, stream diversion, abandonment of piezometer, temp chain link fence, SPCC plan. **ROADWAY DECK INCLUDE:** 125000 LBS epoxy coated st rebar, 6000 LBS st rebar, 625 CY conc CL 4000D, 30 CY conc CL 4000, 8 EA elastomeric bearing pads, 4 EA elastomeric girder stop pads, 57 LF expansion jnt – strip seal (XL-3591)(152234E) (10A010)(7938)(1 of 6)

## **BID OPENING WEDNESDAY, JUNE 9, 2010**

1. (KING) **SR 161/SR 18 INTERCHANGE IMPROVEMENTS** (CL 1 or 6, \$50,000,000 - \$75,000,000)  
**CONTAIN VOLUNTARY MWBE GOA: 15%.** A State Project on I-5, MP 140.64 to MP 142.95.  
**CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Grading, constructing storm drainage systems, bridges, retaining walls, paving, installing water lines, concrete barriers, guardrails, pavement markings, permanent signing, signal and illumination systems, ITS, erosion control and planting, traffic control and other work. 660 Working days. Involves 344 items. 69260 CY rdwy excav incl haul, 26350 CY pond excav incl haul, 196020 T gravel borrow incl haul, 106060 CY embank compact, 6150 CY low permeable soil, 4925 CY ditch excav incl haul, 5075 T quarry spalls, 7124 LF underdrain pipe, 902 LF stream const, 6329 LF sch A storm sewer pipe, 1275 LF sch B storm sewer pipe, 679 LF furnish & jacking st casing pipe, 1248 LF media filter drain, 808 LF duct iron pipe, 154 LF st casing pipe, 8516 CY struct excav CL A incl haul, 1518 LF furnish & place temp casing, 476 LF shaft, 450 LF soldier pile, 1129940 LB st rebar, 1776 LF CSL access tube, 5854 CY conc CL 4000, 7424 LF prestressed conc girder, 26446 SF conc fascia panel, 1305 EA epoxy coated soil nail, 48 EA soil nail verification test and proof test, 51486 SF struct earth wall, 6894 SF temp struct earth wall, 34068 CY backfill incl haul, 395 SY bridge approach slab, 25525 T crushed surface base course, 4514 CY cement conc pvmt, 5340 EA corrosion resistant dowel bar, 25468 T HMA CL ½ IN PG 64-22, 107518 SY temp erosion control blanket, 4956 SY stabilize const entrance, 3 EA tire wash, 21783 LF silt fence, 17651 LF temp curb, 2391 LF sandbags, 22 ACRE erosion control seed, fert, mulch, 1765 CY topsoil, 1209 EA american brooklime, 1207 EA broadfruit bur-reed, 3628 EA douglas fir, 1209 EA European bur-reed, 1781 EA hardstem bulrush, 3113 EA nootka rose, 2486 EA oceanspray, 1012 EA pacific ninebark, 2174 EA red osier dogwood, 2924 EA small fruited bulrush, 1580 EA western red cedar, 38 EA log with rootwad, 2276 CY soil amend, 3284 CY bark or wood chip

mulch, 30990 LF high visibility fence, 4080 LF extruded curb, 10106 LF beam guardrail, 25 EA beam guardrail non-flare term, 1146 LF conc barrier anchor, 1002 LF cast-in-place conc barrier, 30365 LF temp conc barrier, 99950 LF plastic line, 87660 LF profiled plastic line, 48770 LF profiled plastic wide lane line, 437080 LF temp pvmt marking, 1950 LF directional boring, 3214 SF const signs CL A, 18952 CY struct excav CL B incl haul, 62805 SF shoring or extra excav CL B, 2000 MGAL water, 2278 LF cable fence, 1249 LF chain link fence, 3260 LF wire fence, 1010 LF barbless two-wire fence, 6420 SY const geotextile, 627 EA sensitive area sign, 21296 SF shotcrete facing. CONTAINS MINIMUM BIS ITEMS: TYPE C PROGRESS SCH & SCHEDULE UPDATE Lump Sum Bids for: Box culvert, shoring or extra excav CL A, struct low alloy st, precast reinf conc three sided struct, mod expansion jnt sys, high mast luminaire foundation, perm signing, sign bridge, cantilever sign struct, illum sys, traffic data accum and ramp meter sys, CCTV sys, communication conduit sys, communication cable and interface, video, voice & data distribution & trans sys, HAR sys, WIM sys, traffic signal and illum sys, traffic signal interconnect sys, temp traffic control, pedestrian control and protect, struct survey, rdwy survey, crosswalk barricade, confirm scale, field office bldg, mitigation site access, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 1280600 LBS epoxy-coated st rebar, 76200 LBS st rebar, 4597 CY conc CL 4000D, 266 CY conc CL 4000, 9 EA bridge grate inlet, 36 EA elastomeric bearing pad, 68 EA elastomeric girder stop pad. (XL-2786)(800502K) (09A802)(7936)(1 of 8)

Paula J. Hammond, P.E.  
Secretary of Transportation

\* Previously Advertised  
\*\* Extended  
\*\*\* Revised

Projects awarded the week of April 5, 2010

(Kitsap & Mason) Old SR 3 to 0.4 Miles S. of Anderson Hill Rd. - #7912 – Granite Construction Company, Tumwater, WA 98501-7228 - \$1,741,830.40

(Mason, Thurston, Kitsap) Olympic Region Cable Barrier - #7914 – Coral Construction Company, Sherwood, OR 97140-9563 - \$769,967.00

(Whatcom) Gallup Creek Bridge Replacement - #7911 – Scarsella Bros. Inc., Kent, WA 98031-1145 - \$2,707,707.07